



QUICK SEARCH

GO

Share: Digg Facebook StumbleUpon

HEADLINES

ARCHIVE

► ENVIRONMENT

REAL X-FILES

SCIENCE

ABOUT US

CONTACT US

CONTRIBUTORS

EARTHFILES SHOP

SEARCH IN DEPTH

SUBSCRIPTION

LOGIN


LOGOUT

HELP

Printer Friendly
Page

Another Cow Mutilation In Christmas Valley, Oregon

© 2002 by Linda Moulton Howe



Earthfiles, news category.

Most recent July 2002 cow mutilation 6 miles east of May 11th cow marked with X on map.

The May 11, 2002 mutilated cow was found six miles from the May 5, 2002 mutilated bull.

Brothers, Oregon is where a eight dead calves were found bloodlessly skinned on March 18 and 19, 2000. It's also where fourteen dead calves and a pig with its legs cut off were found in March 1999. The circled X marks the area where eyewitness Dwain Wright saw mutilated bull and where a cowboy described having seen glowing discs that lifted cattle up in glowing beams and dropped them back down through the trees in late 1970s to early 1980s.

July 6, 2002 Christmas Valley, Oregon Deputy Sheriff Keith Bumpass of the Lake County, Oregon Sheriff's Office has discovered another mutilated cow in Christmas Valley southeast of Bend. This new case is in the same general area as the previous bull, cow and long-horn cow mutilations reported at Earthfiles on **June 17** and **May 18**. Deputy Bumpass says the location is "about three miles straight north of the sand dunes area. It would be about 12 miles straight east of the May 5th bull and about 6 miles east of the second mutilated cow.

This animal was found by BLM workers who reported this recent cow stuck in a fence by a watering tank. When Deputy Bumpass went to investigate, he recognized the cored rectal area and excised udder. But there was another anomaly. The cow seemed to have only three legs. He told me today that when he and another deputy rolled the cow over, they realized the front left leg was broken and shoved into the cow's body. One speculation is that the cow was dropped from a considerable height right onto that front left leg. As I've reported in my documentaries and books, ranchers and law enforcement since the late 1960s have often found animals laying in impact craters as if dropped from a great height. Broken hips and other bones in those animals have been confirmed.

But no one knows exactly who, or what, is raising the animals out of pastures

and then dropping them back down already dead with bloodless excisions of tissues. It certainly is not the red-nosed mouse of Argentina.



Cow found Fourth of July week by BLM workers under fence wire on ranch in Christmas Valley, Oregon. Rectal and vaginal area cored out and left front leg broken and shoved into the cow's body as if dropped straight down on the leg. All photographs © 2002 by Keith Bumpass, Deputy Sheriff, Lake County, Oregon Sheriff's Office.



C





After cow rolled over to see what had happened to front left leg, Deputy Bumpass was surprised to find the leg broken and shoved completely into the cow's body.

Speculation is that the cow was dropped from a height straight down on the leg. Another surprise was the fresh redness of the abdomen muscle since the deterioration of the animal suggested it had been dead about a week.

More Information:

If you have any information to report about these Christmas Valley, Oregon cattle mutilations, please contact Deputy Sheriff Keith Bumpass at the Lake County, Oregon Sheriff's Office.

Phone: **541-576-2781**.

Credits

**Copyright © 1999 - 2009 by Linda Moulton Howe.
All Rights Reserved.
www.earthfiles.com
earthfiles@earthfiles.com**

Republication and dissemination of the contents of this screen or any part of this website are expressly prohibited without prior Earthfiles.com written consent.

[Privacy Policy](#) | [Terms & Conditions](#)
[Refund Policy](#)

Copyright © 1999 - 2009, Earthfiles.com / DigitalEyeCandy.ca
All rights reserved.